

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20160125-R15431  
**Report Reference** R15431-19980323  
**Issue Date** 2016-JANUARY-25

**Issued to:** HILTI CONSTRUCTION CHEMICALS, DIV OF HILTI INC  
5400 S 122ND EAST AVE  
TULSA OK 74146

**This is to certify that  
representative samples of**

**FIRESTOP DEVICES**  
Firestop devices designated CP 643 50/1.5" N, CP 643 63/2" N, CP 643 75/2.5" N, CP 643 90/3" N, CP 643 110/4" N, CP 643 125/5" N, CP 643 160/6" N, CP 644 200/8" and CP 644 250/10" for use in specific through-penetration firestop systems. The various suffixes for the designations of the firestop devices indicates the nominal outside diameter of the pipe (mm/in.) on which the device is intended to be installed.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**

UL 1479 STANDARD FOR FIRE TESTS OF PENETRATION FIRESTOPS.  
CAN/ULC S115 STANDARD METHOD OF FIRE TESTS OF FIRESTOP SYSTEMS

**Additional Information:**

See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

